

Scanned with CamScanner



Restyled not only for the eyes but also for driving pleasure.


# LED Headlamps | Front Grille & Bumper











SMART


ABS (Anti-lock Braking System) with EBD (Electronic Brake Distribution)

9 

8









Other safety features: Brake Assist (BA)\* ISOFIX System

Disclaimer: Specifications are based on X variant.



### **TECHNICAL SPECIFICATIONS**

| MODEL                          |  |  |  | G<br>1.0/  | 1.3 <i>t</i>   |  |
|--------------------------------|--|--|--|--|--|--|
| -                              | TR   | ANSMISSION   |  | 4 E-AT   | 4 E-AT   |  |
|                                | Overall length/wid   |  | mm   | 4170/1   | 1620/1525  |  |
| DIMENSIONS<br>& WEIGHT         |  |  | mm   | 1900/1385/1240   |  |  |
|                                | Wheelbase  | and the same of th | mm   | mount respect to the second se | 2455   |  |
|                                |  | Front & rear   | mm   |  | 890  |  |
| 3                              | Couple distance Driver & passenger   |  | mm   |  | 640  |  |
| 8                              | T. 1   | Front  | mm   | 1410   | 1405   |  |
| •3                             | Track  | Rear   | mm   | 1405   | 1400   |  |
| •                              | Kerb weight  |  | kg   | 880  | 925  |  |
|                                |  |  | 1  |  | 508  |  |
|                                | Min. turning radius m  |  | The state of the s | 4.5  | 5.0  |  |
|                                | Engine type  |  |  | 1KR-VE   | 1NR-VE   |  |
| ENGINE                         | Valve mechanism  |  |  | DOHC with VVT-I  | DOHC with DUAL VVT-I   |  |
|                                |  |  | сс   | 998  | 1329   |  |
|                                | Bore x stroke  |  | mm   | Ø 71.0 x 84.0  | Ø 72.5 x 80.5  |  |
|                                | No. of cylinders   |  | 1000   | 3 4  |  |  |
|                                | Compression ratio  |  |  | 11.5:1   |  |  |
| 2                              |  |  |  |  | 70/6000  |  |
|                                |  |  | kW/rpm   | 50/6000  | 121/4000   |  |
|                                | Max. torque (DIN)  |  | Nm/rpm   | 91/4400  | 21.0   |  |
|                                |  | (with Eco-driving)   | km/e   | 21.3   |  |  |
| 2                              | Fuel tank capacity   |  |  |  | 36   |  |
| CHASSIS                        | Tyres & disc whee  | IS   |  | 175/65 R14 (14" alloy rims)  | 175/60 R15 (15" two-tone alloy rims)                         |  |
| 5                              |  | Spare tyre   |  | 175/65 R14   |  |  |
|                                | Front & rear bumper  |  |  | Standard type  |  |  |
| EXTERIOR                       | Side skirtings with  | two-tone colour  |  |  | G  |  |
|                                | Front grille   |  |  | Glossy black & silver finish   | Glossy black & chrome finish                                 |  |
|                                |  | LED headlamps  |  |  | •  |  |
|                                |  | Front fog lamps  |  |  |  |  |
|                                | Electric side mirrors  |  |  | With turn signals  |  |  |
|                                | Outer door handles   |  | -  | Chrome finish  |  |  |
|                                | Rear combination   | Rear combination lamps   |  | LED (with light guide & LED stop lamp)   |  |  |
|                                | Blacked-out pillar   |  |  | -  |  |  |
| To                             | Instrument panel   |  |  | Monotone (black) with silver painted garnish   |  |  |
|                                | Centre cluster   |  |  | Painted (black)  |  |  |
|                                | Meter combination  |  | Allendar - De L  | White illumination   |  |  |
|                                |  |  | Front  | Standard type with detachable headrest   | Semi-bucket type with detachable headrest                    |  |
|                                | Seats  |  | Rear   | Standard type with integrated headrest   | High-grade type with detachable headrest                     |  |
| NTERIOR                        | Seat cover materi  | al   | MANUFACTURE STATE  |  | abric  |  |
|                                | Door trims   |  | CALL PLANT FOR   | Full trim  | Full trim with fabric finish                                 |  |
|                                | Door armrests  |  | SPECIAL SERVICE  | Painte   | ed (silver)  |  |
| =                              | Inside door handles  |  |  | Chrome finish  |  |  |
|                                | Seat back pockets (driver & passenger's side)  |  | side)  |  |  |  |
|                                | Multipurpose compartment   |  | A CONTRACTOR   |  |  |  |
|                                |  | Under-luggage compartment  |  |  |  |  |
|                                | 12V power socket   |  | AT WE TREE   |  |  |  |
| ж                              |  |  | - TO TO TO THE PARTY OF THE PAR | • dis custom un  | ith USB & Bluetooth  |  |
|                                | Audio  |  |  | Audio system wi  | III 03B & Bidetootii   |  |
|                                | Speakers   | Speakers   |  | Front (2)  | Front (2) & rear (2)   |  |
|                                | USB port at rear c   | USB port at rear console   |  |  |  |  |
|                                | Smart entry with   | Smart entry with smart key & push start/stop button  |  |  |  |  |
|                                |  | Multi-info display   |  |  |  |  |
| 5                              | (service info, average fuel consumption, CFC, rang   |  | , CFC, rang  |  |  |  |
|                                | Auto-off headlan   | Auto-off headlamps   |  |  |  |  |
| õ                              | Electric power steering  |  | - F/614 (3)  |  |  |  |
| ē                              | Power windows  |  | in the team is to  | With (one-touch function on driver's side)   | With (one-touch function with jam protection on driver's sid |  |
| Ó                              | Seat height adjuster (driver's side)   |  |  |  |  |  |
| O                              | Seat height adjus  | Front corner sensors   |  |  |  |  |
| Ó                              |  | ors  |  |  |  |  |
| O                              |  | ors  |  | Deluge on  | nd passenger   |  |
| 8                              | Front corner sens  | ors  |  | Driver at  | lu passenge.   |  |
| CON                            | Front corner sens<br>Reverse sensors   | ors  |  | • Driver an  | basicing -   |  |
|                                | Front corner sens<br>Reverse sensors<br>Dual SRS airbags   |  |  |  |  |  |
|                                | Front corner sens Reverse sensors Dual SRS airbags ABS with EBD  | ontrol (VSC)   |  |  |  |  |
|                                | Front corner sens Reverse sensors Dual SRS airbags ABS with EBD Vehicle Stability C  | ontrol (VSC)   |  |  |  |  |
| SECURITY                       | Front corner sens Reverse sensors Dual SRS airbags ABS with EBD Vehicle Stability C Traction Control (1) Brake Assist (BA)   | ontrol (VSC)   |  | •<br>-<br>-  |  |  |
| SECURITY                       | Front corner sens Reverse sensors Dual SRS airbags ABS with EBD Vehicle Stability C Traction Control (I Brake Assist (BA) ISOFIX system  | ontrol (VSC)<br>(RC)   |  | •  |  |  |
| SECURITY                       | Front corner sens Reverse sensors Dual SRS airbags ABS with EBD Vehicle Stability C Traction Control (1) Brake Assist (BA) ISOFIX system Anti-theft device   | ontrol (VSC)<br>(RC)   |  | •<br>-<br>-<br>-<br>•<br>With alarm, immo  | • • • • • • • • biliser & panic button                       |  |
| SECURITY                       | Front corner sens Reverse sensors Dual SRS airbags ABS with EBD Vehicle Stability C Traction Control (1 Brake Assist (BA) ISOFIX system Anti-theft device Wireless door lock   | ontrol (VSC)<br>(RC)   |  | • With alarm, immo Key with integrated remote  |  |  |
| SECURITY                       | Front corner sens Reverse sensors Dual SRS airbags ABS with EBD Vehicle Stability C Traction Control (1) Brake Assist (BA) ISOFIX system Anti-theft device Wireless door lock Central lock butto                               | ontrol (VSC)<br>(RC)<br>( & alarm<br>in on instrument pane   | 1  | •<br>-<br>-<br>-<br>•<br>With alarm, immo<br>Key with integrated remote<br>•   | biliser & panic button Smart key                             |  |
| SAFETY & SECURITY              | Front corner sens Reverse sensors Dual SRS airbags ABS with EBD Vehicle Stability C Traction Control (1) Brake Assist (BA) ISOFIX system Anti-theft device Wireless door lock Central lock butto Seat belt reminde             | ontrol (VSC)<br>(RC)<br>( & alarm<br>in on instrument pane   | 1  | • With alarm, immo Key with integrated remote • Driv   | biliser & panic button  Smart key                            |  |
| RIES SAFETY & SECURITY COMFORT | Front corner sens Reverse sensors Dual SRS airbags AB5 with EBD Vehicle Stability C Traction Control (1) Brake Assist (BA) ISOFIX system Anti-theft device Wireless door lock Central lock butto Seat belt reminde Carpet mats | ontrol (VSC)<br>(RC)<br>( & alarm<br>in on instrument pane   | 1  | • With alarm, immo Key with integrated remote • Driv   | biliser & panic button  Smart key  er's side                 |  |
| SECURITY                       | Front corner sens Reverse sensors Dual SRS airbags ABS with EBD Vehicle Stability C Traction Control (1) Brake Assist (BA) ISOFIX system Anti-theft device Wireless door lock Central lock butto Seat belt reminde             | ontrol (VSC)<br>(RC)<br>(& alarm<br>in on instrument pane<br>r   | 1  | • With alarm, immo Key with integrated remote • Driv   | biliser & panic button  Smart key  er's side                 |  |

Specifications are subject to change without prior notice.

# Chattogram Showroom

PHP Business Square 542, Asian Highway, Sholokbahar, Bahaddarhat, Chattogram, Bangladesh. Cell: 01885-555300

# Dhaka Showroom - 1

240 Tejgaon Gulshan Link Road, Tejgaon C/A, Dhaka Bangladesh Cell: 01885-553 333

## Dhaka Showroom - 2

107/2 Kakrail Dhaka-1000, Bangladesh. Hotline: 01887 900 800

